

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	68	380/264.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:55
S2	59	S1 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:47
S3	99	("5283828" "6256390" "4541019" "5455603" "6128717" "6191865" "4360729" "4802156" "4804937" "4952786" "5019816" "5233411" "5255136" "5274402" "5412480" "5430584" "5506692" "5508821" "5512929" "5523522" "5530792" "5546585" "5581715" "5590107" "5606468" "5615392" "5619412" "5630175" "5675717" "5678000" "5703842" "5715437" "5732285" "5739521" "5740303" "5790114" "5793961" "5832420" "5838824" "5847304" "5859657" "5875233" "5936315" "5969494" "6014726" "6014351" "6023232" "6043948" "6044436" "6050674").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:13
S4	41	S2 and ((address or memory) with (data))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:37
S5	99	S3 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:56
S6	433	713/151,162.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:56

S7	291	S6 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:57
S8	237	S7 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:00
S9	93	S8 and circuit	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:57
S10	78	S9 and (memory or rom or ram or flash or eeprom)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:58
S11	2	S10 and ((dongle or key or card or token or badge) with (eeprom))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:00
S12	1	S11 and (ata or scsi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:58
S13	63	S8 and (secur\$3 with (medium or floppy or cdr\$2 or cd-r\$2 or dis\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:02
S14	53	S13 and (decipher\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:05

S15	16	S5 and (("8" or "16" or "4") with bit)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:06
S16	7544	((record\$3 adj medium) or floppy or memory) with (secur\$3)) and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:11
S17	3122	S16 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:12
S18	133	S17 and (mainboard or (main adj board) or motherboard)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:13
S19	28	S18 and ((interface adj port) or (ATA or scsi))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:23
S20	5	S19 and (eeprom with (encrypt\$3 or encipher\$3) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:25
S21	0	S20 and ((insert or removable) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:25
S22	0	S19 and ((insert or removable) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:25

S23	8	S18 and ((insert or removable) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:26
S24	645	(smart adj card) with (eeprom)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:27
S25	213	S24 and @ad<"20000105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:27
S26	21	S25 and (key with eeprom with card)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:27
S27	2	"5953420".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:50
S28	265	710/68.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:45
S29	218	S28 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:45
S30	201	S29 and (memory or ram or rom or eeprom or flash)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:15

S31	147	S30 and (address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:54
S32	19	S31 and (encipher\$3 or encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:46
S33	213690	address with (memory or ram or rom or eeprom or flash)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:55
S34	152515	S33 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:56
S35	3861	S34 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:56
S36	702	S35 and (text or data) with (determin\$3 or point\$3 or read\$3) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:57
S37	127	S36 and (4-bits or "4 bits")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:38
S38	39	S37 and ((8-bits or "8 bits") with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:58

S39	381	data near (pointer with address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:39
S40	273	S39 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:43
S41	46	S40 and (data with (transform\$5 or encrypt\$3 or encipher\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:53
S42	160	(read\$3 with (memory or address)) with ("same value") with (data or text)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:53
S43	101	S42 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:54
S44	7	S43 and ((encrypt\$3 or encipher\$3 or transform\$3) with (data or text))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:58
S45	19952	key with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:58
S46	11364	S45 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:59

S47	293	S46 and ((data with bit) with value with address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:59
S48	187	S47 and (encipher\$3 or encrypt\$3 or replac\$3 or transform\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:03
S49	7537	(specify\$3 with address) with memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:04
S50	8184	(specify\$3 with address) with (memory or ram or rom or eeprom or flash)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:14
S51	5862	S50 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:15
S52	56	S51 and ((encipher\$3 or encrypt\$3) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:24
S53	3	((original or plain) adj text) with (point\$3 or determin\$3) with key with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:50
S54	1	S53 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:27

S55	847	711/220-221.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:41
S56	558	S55 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:41
S57	254	S56 and ((data with bit\$1) with address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:02
S58	1	S57 and ((encrypt\$3 or encipher\$3) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:43
S59	3	((original or plain) adj text) with (specify\$3 with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:50
S60	85167	(key with (bit or part))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:02
S61	38312	S60 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:03
S62	4828	S61 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:03

S63	2706	S62 and (address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:03
S64	1978	S63 and (address and (data with (bit or part)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:04
S65	6	S63 and ((address and (data with (bit or part))) with (plain or original) adj (text or data))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:13
S66	2094	711/163-164,203.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 16:15
S67	1240	S66 and @ad<"20010105"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 16:15
S68	974	S67 and (address with (memory or register or rom or eeprom or flash))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 16:17
S72	980	380/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 08:40
S73	805	S72 and @ad<"20011205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 08:41

S74	314	S73 and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:04
S75	37900	(port with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:05
S76	29990	S75 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:05
S77	22903	S76 and @ad<"20011205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:05
S78	5144	S77 and (16-bit or ata or scsi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:05
S79	404	S78 and (encrypt\$3 or encipher\$3) and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:06
S80	179	S79 and (key with (memory or ram or rom or flash or register or eeprom))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:14
S81	85520	(key with (memory or ram or rom or flash or register or eeprom))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:14

S82	62108	S81 and @ad<"20011205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:14
S83	8952	S82 and (key with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:25
S84	1095	S83 and (user with (select\$3 or choos\$3 or specify\$3) with (key or address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 09:49